

## AMENDMENTS TO THE CLAIMS

Please amend the claims as they currently stand so that they are in accord with the following listing of the claims:

1. (currently amended) A method to cache and redistribute streaming digital data content for responding to a content request from a requesting client machine, said method comprising:  
receiving a first content request, for a streaming content, from ~~[[the]]~~a requesting client machine, wherein said requesting client machine does not send information identifying a secondary server containing ~~[[a]]~~said streaming content corresponding to said first content request;  
generating a second content request based on the first content request;  
transmitting the second content request to at least one secondary server known to contain said streaming content;  
receiving said streaming content from said at least one secondary server in response to said second content request; and  
re-streaming, forwarding to the requesting client machine, the received streaming content as [[the]] a content corresponding to the first content request and simultaneously caching the received streaming content locally such that the cached streaming content is directly available in response to a subsequent content request from a same or a different requesting client machine.
2. (currently amended) The method of claim 1, further comprising:  
determining, before generating the second content request, if at least a part of the streaming content corresponding to the first content request is locally available cached; and  
re-streaming forwarding the locally-available cached streaming content as at least a part of the content corresponding to the first content request and in place of performing the generating, transmitting, receiving and caching received content forwarding steps for any uncached part of said streaming content corresponding to said first content request as part of updating said locally cached streaming content.
3. (cancelled)

4. (currently amended) The method of claim ~~[[3]]~~2, further comprising:

determining, if the streaming content corresponding to the first content request is locally cached available, whether to update the locally cached available streaming content corresponding to the first content request;

re-streaming forwarding the locally-~~available~~ cached streaming content as the content corresponding to the first content request in place of performing the generating, transmitting, receiving and caching received content forwarding steps if the locally cached streaming available content is not to be updated; and

performing the generating, transmitting, receiving and caching received content forwarding steps if the locally cached streaming available content is to be updated.

5. (currently amended) The method of claim 4, wherein determining whether to update the locally cached streaming available content corresponding to the first content request comprises at least one of:

determining if the locally cached streaming available-content corresponding to the first content request is older than an update age;

determining if the locally cached streaming available content corresponding to the first content request is a type of content that is to be updated automatically;

determining if the locally cached streaming available-content corresponding to the first content request includes expiration information; ~~[[and]]~~

determining if the content request includes an indication to update the locally cached streaming available content~~[[.]]~~; and

determining if the streaming content corresponding to the first content request has been fully locally cached or partially locally cached.

6. (currently amended) The method of claim 4, further comprising:

determining whether at least one secondary server is known to store at least a type of content that corresponds to the streaming content corresponding to the first content request based on a stored content map;

searching, if at least one secondary server is not known, a plurality of secondary servers to identify at least one secondary server that contains at least a type of content that corresponds to the streaming content corresponding to the first content request;

adding, in response to the searching step, to the stored content map the at least one identified secondary server located by the search; and

transmitting, based on the at least one secondary server identified in the content map, the second content request to that at least one secondary server in response to either the adding step or the at least one secondary server determining step.

7. (currently amended) The method of claim 2, further comprising:

determining whether at least one secondary server is known to store at least a type of content that corresponds to the streaming content corresponding to the first content request based on a stored content map;

searching, if at least one secondary server is not known, a plurality of secondary servers to identify at least one secondary server that contains at least a type of content that corresponds to the streaming content corresponding to the first content request;

adding, in response to the searching step, to the stored content map the at least one identified secondary server located by the search; and

transmitting, based on that at least one secondary server identified in the content map, the second content request to that at least one secondary server in response to either the adding step or the at least one secondary server determining step.

8. (currently amended) The method of claim 1, further comprising:

determining whether at least one secondary server is known to store at least a type of content that corresponds to the streaming content corresponding to the first content request based on a stored content map;

searching, if at least one secondary server is not known, a plurality of secondary servers to identify at least one secondary server that contains at least a type of content that corresponds to the streaming content corresponding to the first content request;

adding, in response to the searching step, to the stored content map the at least one identified secondary server located by the search; and

transmitting, based on the at least one secondary server identified in the content map, the second content request to that at least one secondary server in response to either the adding step or the at least one secondary server determining step.

9 –10. (cancelled)

11. (currently amended) A system usable to cache and redistribute streaming digital data content ~~respond to a content request received from a requesting client machine~~, said system comprising a proxy server able to receive ~~[[the]]~~ a first content request for a streaming content from a requesting client machine, wherein said requesting client machine does not send information identifying a secondary server containing ~~[[a]]~~ said streaming content corresponding to said first content request, and said proxy server able to generate and transmit a second content request to at least one secondary server known to contain said streaming content, and said proxy server able to receive the streaming content from said at least one secondary server in response to said second content request and ~~transmit the received content to the requesting client machine as the content corresponding to said content request re-stream, to the requesting client machine, the received streaming content as a content corresponding to the first content request and~~ simultaneously cache the received streaming content locally at said proxy server such that the cached streaming content is directly available from said proxy server in response to a subsequent content request from a same or a different requesting client machine.

12. (currently amended) The system of claim 11, further comprising a storage device usable to ~~store~~ cache said streaming content locally relative to the proxy server.

13. (currently amended) The system of claim 12, wherein the proxy server determines whether said streaming content corresponding to the first content request is cached, partially or fully, stored in the storage device, such that, ~~[[when]]~~ if any part of said streaming content corresponding to the first content request is cached stored in the storage device, the proxy server re-streams transmits that part of the streaming content cached stored in the storage device corresponding to the first content request to the requesting client machine as at least a part of the streaming content corresponding to the first content request.

14. (currently amended) The system of claim 12, wherein the proxy server determines, for a particular streaming content ~~cached~~ ~~stored~~ in the storage device, whether to update that particular streaming content ~~cached~~ ~~stored~~ in the storage device in response to receiving a content request to which that particular streaming content corresponds.

15. (currently amended) The system of claim 14[[,]] wherein, when the proxy server determines to update the streaming content, the proxy server transmits a second content request to which that particular streaming content corresponds to at least one secondary server.

16. (currently amended) The system of claim 12, further comprising a content map that indicates, for at least some content requests, at least one secondary server known to store at least a type of streaming content that corresponds to that content request, and wherein said content map indicates, at least for some content requests, if a streaming content corresponding to a content request needs to be updated because only a part of said streaming content is presently cached in said storage device.

17. (original) The system of claim 16, wherein the proxy server determines the at least one secondary server to which the second content request is transmitted based on the content map.

18. (currently amended) The system of claim 16, wherein the proxy server determines whether the content map indicates at least one secondary server known to store at least a type of content that corresponds to the streaming content corresponding to the first content request, the proxy server generating a search of a plurality of servers if the content map does not indicate[[s]] at least one secondary server known to store at least a type of content that corresponds to the streaming content corresponding to ~~the first content~~ ~~the corresponds to the content corresponding to the first content request~~, and the proxy server updating the content map based on results of the search.

19. (original) The system of claim 11, further comprising a content map that indicates, for at least some content requests, at least one secondary server known to store at least a type of content that corresponds to that content request.

20. (original) The system of claim 19, wherein the proxy server determines the at least one secondary server to which the second content request is transmitted based on the content map.

21. (currently amended) The system of claim 19, wherein the proxy server determines whether the content map indicates at least one secondary server known to store at least a type of content that corresponds to the streaming content corresponding to the first content request, the proxy server generating a search of a plurality of secondary servers if the content map does not indicate[[s]] at least one secondary server known to store at least a type of content that corresponds to the streaming content corresponding to the first content request, and the proxy server updating the content map based on results of the search.

22. (currently amended) A system ~~usable to respond to~~ cache and redistribute streaming digital data content a content request received from a requesting client machine, said system comprising:

means for receiving a first content request, for a streaming content, from [[the]]a requesting client machine, wherein said requesting client machine does not send information identifying a secondary server containing [[a]]said streaming content corresponding to said first content request;

means for generating a second content request based on said first content request and transmitting said second content request to at least one secondary server known to contain said streaming content;

means for receiving said streaming content in response to the second content request from said at least one secondary server; and

means for re-streaming, to the requesting client machine, and simultaneously locally caching the received streaming content as a content corresponding to the first content request such that the cached streaming content is directly available in response to a subsequent content request from a same or a different requesting client machine.

~~transmitting the received content to the requesting content machine as that content corresponding to the first content request.~~

23. (currently amended) The system of claim 22, further comprising a storing means for ~~storing~~ said streaming content locally relative to the means for receiving.

24. (currently amended) The system of claim 23, further comprising means for determining whether said streaming content corresponding to the first content request is cached ~~stored~~ in the storing means, such that, when said streaming content corresponding to the first content request is cached ~~stored~~ in the storing means, the means for re-streaming ~~transmitting~~ the received streaming content re-streams ~~transmits~~ the streaming content cached ~~stored~~ in the storing means corresponding to the first content request to the requesting client machine as the streaming content corresponding to the first content request.

25. (currently amended) The system of claim 23, further comprising an updating means for determining, for a particular streaming content cached ~~stored~~ in the storing means, whether to update that particular streaming content cached ~~stored~~ in the storing means in response to receiving a content request to which that particular streaming content corresponds.

26. (currently amended) The system of claim 25, wherein, when the updating means determines to update the streaming content, the means for generating and transmitting transmits a second content request, to which that particular streaming content corresponds, to at least one secondary server.

27. (previously presented) The system of claim 22, further comprising a content map that indicates, for at least some content requests, at least one secondary server known to store at least a type of content that corresponds to that content request.

28. (original) The system of claim 27, wherein the means for generating and transmitting determines the at least one secondary server to which the second content request is transmitted based on the content map.

29. (currently amended) The system of claim 27, wherein the means for generating and transmitting determines whether the content map indicates at least one secondary server known to store at least a type of content that corresponds to the streaming content corresponding to the first content request, the means for generating and transmitting generating a search of a plurality of secondary servers if the content map does not indicate at least one secondary server known to store at least a type of content that corresponds to the streaming content corresponding to the first content request, the means for generating and transmitting updating the content map based on results of the search.

30-32. (cancelled)